

TREND

Mobile Smart Screen

Free movement | Free rotation | Free touch



FEATURES

20cm lifting adjustment



20 ° pitch angle adjustment



45 ° lateral rotation
90 ° vertical rotation



Android system
Abundant APP
experience



Horizontal and vertical,
switching freely



Free touch screen,
ten point touch



Free movement



PRODUCT SPECIFICATIONS

System	Touch	Other
CPU RK3588S2 Quad core cortex A55+Quad core cortex A76	Model Type Capacitive touch screen	Product Colors White
RAM 8GB	Number of points 10-Point	VESA 100mm*100mm
Internal memory 128G	Interface for touch HID-USB	Button Power/Vol+ /Vol-
Operation system Android 13	Network	G-sensor Support 90 degrees
Display	WiFi IEEE 802.11a/b/g/n/ac/ax with Mu-MIMO standard	Speaker 4Ω/5W*2
Panel Size 32" , 24" , 27" LCD	Bluetooth Bluetooth 5.3	Microphone Standard dual Microphone , Support noise reduction and echo cancellation
Panel Type IPS	Interface	Camera Optional External USB type camera (vertical portrait , 8MP)
Resolution 1920*1080	USB USB 2.0 Host	Language Multi-language
Display Colors 16.7M Colors	USB USB 3.0 Host	Certificates CCC/CE/FCC
Color Gamut 72% NTSC	Type_C/USB TOUCH Multi-function interface: Default Type-c full function ,Connecting to HDMI IN Optional external device with touch function	Other
Viewing angle R/L 89/89, U/D 89/89	HDMI IN Support 800*600 , 1024*768 , 1280*720 , 1280*800 , 1280*1024 , 1366*768 , 1600*900 1920*1080 , 3840*2160, etc	Battery Type Li-ion of 18650
Display mode Normally black	Power Jack DC power input	Battery pack capacity 14.4V/6800mAh
Contrast ratio 1200:1	Media plays	Full battery life 3-4h
Response Time 8ms	Video format MPEG-1 , MPEG-2 , MPEG-4 , H.265,H.264 H.263 , VC-1 , VP8 , VP9 , MVC , AV1 etc., support up to 8K@60fps	Movement
Back-light Type Eled	Audio format MP3 / WMA / AAC / WAV / OGG, etc	Tilting (Forward tilt- Lean back) -20° ~ 20° ±3°
Luminance 250cdm2	Photo JPEG / PNG / GIF,etc	Turning (Left and Right) -15° ~ 15° ±3°
Aspect Ratio 16:9		Rotating (Clockwise) -20° ~ 20° ±3°
Aspect Ratio 16:9		Lifting (up-down) 180mm

PRODUCT SPECIFICATIONS

Working Surrounding

Working Temperature

0°C - 40°C

Storage Temperature

-20°C - 60°C

Working Humidity

20-80%RH

Storage Humidity

10-95%RH

Accessories

Adapter

18V / 5A

AC Cable

L = 1.5m

User manual

*1

USB cable

*1

Foot pad

*4



Stepwell Smart Solutions (SSS) is the creator of TREND interactive technology that helps the world Interact and share content. The company's products are utilized by organizations of all sizes, with multiple users across Globe. For more information on Stepwell please visit www.stepwellsmartsolutions.com